DHP 22-9





Short description

Electric air heater, three-phase AC, channel dimensions 500 $\,$ mm x 250 mm

Article	e num	ber
	, num	DUI


0082.0090

Technical data

Min. flow velocity	1,5 m/s
Max. flow velocity	
Type of voltage	Three-phase AC
Rated voltage	400 V
Frequency	50 Hz
I _{max}	13 A
Degree of protection	IP 43
Mains cable	5 x 1,5 mm ²
Installation	Inside
Installation site	Channel
Installation position	horizontal / vertical
Housing material	Sheet steel, galvanised
Weight	11,91 kg
Weight including packaging	12,58 kg
Channel dimension	500 mm x 250 mm
Width	639 mm
Height	288 mm
Depth	370 mm
Width with packaging	670 mm
Height with packaging	300 mm
Depth with packaging	395 mm
Air heater type	electrical
Heater power rating	9.000 W
Packing unit	1 piece
Range	D
GTIN (EAN)	4012799820901


DHP 22-9





- DHP 25-16
 DHP 22-9, DHP 28-16, DHP 28-28
 DHP 31-28
- ④ DHP 31-16

Characteristic curve Temperature rise






PRODUCTDATA SHEET



Dimensioned drawing [mm]





А	В	С	D	E	F
500	250	520	270	639	288