KSP 31/14





Short description

Attenuating sound absorber, channel dimensions 600 mm \times 350 mm

Article number 0092.0304


Technical data

Min. flow velocity			
Max. flow velocity	20 m/s		
Installation site	Channel		
Housing material	Sheet steel, galvanised		
Weight	19 kg		
Weight including packaging	19,04 kg		
Channel dimension	600 mm x 350 mm		
Width	640 mm		
Height	390 mm		
Depth	600 mm		
Width with packaging	641 mm		
Height with packaging	393 mm		
Depth with packaging	605 mm		
Insertion loss at 63 Hz	2 dB		
Insertion loss at 125 Hz	4 dB		
Insertion loss at 250 Hz	14 dB		
Insertion loss at 500 Hz	13 dB		
Insertion loss at 1 kHz	17 dB		
Insertion loss at 2 kHz	14 dB		
Insertion loss at 4 kHz	11 dB		
Insertion loss at 8 kHz	8 dB		
Total insertion loss			
Insertion loss note			
Packing unit	1 piece		
Range	D		
GTIN (EAN)	4012799923046		

KSP 31/14




Characteristic curve



- ① KSP 22/15
- ② KSP 25/15
- ③ KSP 28/14
- ⑤ KSP 35/14

Dimensioned drawing [mm]



Α	В	С	D	E	F	G
600	350	620	370	600	9	20

PRODUCTDATA SHEET

KSP 31/14

