


# RSR 31



## Short description

Tubular sound absorber with 25 mm sound absorbing cover, length: 1000 mm, DN 315

## Application examples

Showroom, Restaurant, Theatre, Production site, Industrial building


Article number 0092.0319

## Technical data

Model	25 mm sound absorbing cover
Material	Aluminium
Weight	3,3 kg
Weight including packaging	4,27 kg
Nominal size	315 mm
Width	1.170 mm
Height	367,5 mm
Depth	367,5 mm
Width with packaging	1.185 mm
Height with packaging	375 mm
Depth with packaging	375 mm
Insertion loss at 63 Hz	2 dB
Insertion loss at 125 Hz	3 dB
Insertion loss at 250 Hz	6 dB
Insertion loss at 500 Hz	16 dB
Insertion loss at 1 kHz	33 dB
Insertion loss at 2 kHz	15 dB
Insertion loss at 4 kHz	9 dB
Insertion loss at 8 kHz	11 dB
Total insertion loss	
Insertion loss note	
Sound insulation	yes
Packing unit	1 piece
Range	C
GTIN (EAN)	4012799923190


# RSR 31

## Characteristic curve Pressure losses



- ① Pressure loss in Pa/m sound absorber
- ② Duct diameter
- ③ Velocity of flow

## Dimensioned drawing [mm]





RSR 31

A	B	C	D	E
315	355	1.170	314,5	400