

# RSR 35/50



## Short description

Tubular sound absorber with 50 mm sound absorbing cover, length: 1,000 mm, DN 355

## Application examples

Showroom, Restaurant, Theatre, Production site, Industrial building


Article number 0092.0335

## Technical data

Model	50 mm sound absorbing cover
Material	Aluminium
Weight	3,8 kg
Weight including packaging	5,31 kg
Nominal size	355 mm
Width	463,5 mm
Height	463,5 mm
Depth	1.220 mm
Width with packaging	525 mm
Height with packaging	525 mm
Depth with packaging	1.180 mm
Insertion loss at 63 Hz	
Insertion loss at 125 Hz	3 dB
Insertion loss at 250 Hz	8 dB
Insertion loss at 500 Hz	18 dB
Insertion loss at 1 kHz	27 dB
Insertion loss at 2 kHz	11 dB
Insertion loss at 4 kHz	9 dB
Insertion loss at 8 kHz	7 dB
Total insertion loss	
Insertion loss note	
Sound insulation	Yes
Packing unit	1 piece
Range	C
GTIN (EAN)	4012799923350


# RSR 35/50

## Characteristic curve Pressure losses



- ① Pressure loss in Pa/m sound absorber
- ② Duct diameter
- ③ Velocity of flow

## Dimensioned drawing [mm]





# RSR 35/50

A	B	C	D	E
355	450	1.220	354,5	463,5