ZEG EC





Short description

Centralised exhaust air unit without heat recovery, with EC technology and wireless remote control

Application examples

Low-energy house, Single-family house, Apartment, Living room, Redevelopment

Article number 0086.0205


Technical data

Air flow volume	420 m³/h (System pressure at 100 Pa)
Speed controllable	✓
SEC average	-19,6 kWh/(m²*a)
Energy efficiency class	E
Type of voltage	Alternating current
Rated voltage	230 V
Frequency	50 Hz
Power consumption	6 W - 81 W
I _{max}	0,06 A - 0,6 A
Degree of protection	IP 20
Installation site	Cellar / Storage tank / Jamb wall / Utility room / Heating room
Installation position	vertical / horizontal
System type	Centralised
Material	Synthetic material
Weight	3,3 kg
Weight including packaging	3,755 kg
Connection diameter	125 mm
Width with packaging	365 mm
Height with packaging	305 mm
Depth with packaging	355 mm
Sound pressure level	21 dB(A) / 52 dB(A) (Measured with 1m distance from the vent, ac-
	cording to the factory setting.)
Packing unit	1 piece
Range	К
GTIN (EAN)	4012799862055

ZEG EC



Characteristic curve



ZEG EC



Dimensioned drawing [mm]

